

Q8 Auto JK

Synthetic automatic transmission fluid designed for Aisin Warner

Description

Q8 Auto JK is an outstanding multifunctional automatic transmission fluid. The product offers excellent thermal stability and improves overall transmission durability and cleanliness. It is specifically designed for Aisin Warner automatic transmissions.

Applications

Q8 Auto JK is an automatic transmission oil for passenger cars, specifically designed for Aisin Warner transmissions. It meets the requirements of Japanese and Korean manufacturers and is recommended for SUV's and light commercial vehicles.

Benefits

- Outstanding protection against wear and extends component life.
- Optimal friction characteristics even at low temperatures
- Excellent oxidation and thermal stability
- Outstanding internal friction reduction.

Specifications & Approvals

Aisin Warner	JWS 3324	MB	236.10
Allison	TES-228	Mazda	ATF M-V
Chrysler	ATF+4	Mitsubishi	Diaqueen SP-III (except in CVT's)
Ford	M2C 166-H	Nissan	Matic J
Ford	M2C 202-B	Toyota	T-IV
Ford	M2C 919-E	VAG	VW G 052 025
Ford	M2C 924-A	VAG	VW G 052 162
Ford	Mercon V	VAG	VW G 055 025
GM	Dexron III H	ZF	TE-ML 04D
Hyundai/Kia	SP-IV	ZF	TE-ML 14B
MAN	339 Type V2	ZF	TE-ML 16L
MAN	339 Type Z3	ZF	TE-ML 17C

Properties

	Method	Unit	Typical
Density, 15 °C	D 4052	g/ml	0,849
Kinematic Viscosity, 40 °C	D 445	mm ² /s	35.7
Kinematic Viscosity, 100 °C	D 445	mm ² /s	7.2
Viscosity Index	D 2270	-	174
Brookfield Viscosity, -40 °C	D 2983	Pa.s	18.4
Pour Point	D 97	°C	-42
Flash Point, P-M	D 93	°C	> 200

The figures above are not a specification. They are typical figures obtained within production tolerances.

Remarks

Product Data Sheet includes a selection of specifications, for full overview please consult the Q8Oils website.